



"WE MAKE THE KITCHEN BETTER!"

ATOSA USA, INC.

Toll Free: 855-855-0399 Email: info@atosausa.com

www.atosa.com | www.atosausa.com

California, Colorado, Florida, Georgia, Illinois,
New Jersey, Ohio, Texas, Washington

Worktop Freezers with Drawers & Backsplash

Standard Features

- Stainless steel exterior & interior with reinforced stainless steel top
- Environmentally friendly R290 refrigerant
- Electronic temperature controller
- Maintains temperatures between -8°F – 1°F
- Recessed door handle(s)
- Magnetic drawer gasket(s)
- Each unit comes standard with 1/6 size pans
- Standard pre-installed 5" swivel stem casters:
B0604007 (with brake) & B0604006 (no brake)

Optional Accessories

- Extended warranty up to 5 years
- 1.2", 1.5" & 2" Low profile swivel plate casters available
- 4" Swivel stem casters available

Caster Part Number (with brake)	Caster Part Number (no brake)	Description	Unit Overall Height (in)
R06001000228	R06001000229	1.2" swivel plate casters	34 ^{3/4}
R06001000063	N/A	1.5" swivel plate caster	35 ^{3/8}
B0604434	B0604433	2" swivel plate casters	36
B0604421	B0604413	4" swivel stem casters	37 ^{7/8}
B0604007	B0604006	5" swivel stem casters	38 ^{7/8}

For the best results of food preservation we recommend setting your freezer between -8°F to 0°F

1. Don't forget to leave the unit some room to breathe!
2. Please clean the condenser frequently to give the unit more fresh air.



3 YEAR PARTS AND LABOR WARRANTY
5 YEAR COMPRESSOR PART WARRANTY

MODELS:

AWF27D2 / AWF36D2 / AWF48D4 / AWF60D4



AWF27D2



AWF36D2



AWF48D4



AWF60D4



REV. 07/26



"WE MAKE THE KITCHEN BETTER!"

ATOSA USA, INC.

Toll Free: 855-855-0399 Email: info@atosausa.com

www.atosa.com | www.atosausa.com



California, Colorado, Florida, Georgia, Illinois,
New Jersey, Ohio, Texas, Washington

SPECIFICATIONS



Models	Drawers	Capacity (Cu.Ft.)	Casters (inch)	Amps (A)	Voltage (V/Hz/Ph)	HP	Refrigerant	Exterior Dimensions (inch)	Net Weight (lb)	Gross Weight (lb)
AWF27D2	2	6.53	5	3.9	115/60/1	1/5	R290	27 ^{1/2} ×30×38 ^{7/8}	143	198
AWF36D2	2	8.97	5	4.8	115/60/1	1/4+	R290	36 ^{3/8} ×30×38 ^{7/8}	172	236
AWF48D4	4	12.22	5	4.8	115/60/1	1/4+	R290	40 ^{1/4} ×30×38 ^{7/8}	201	278
AWF60D4	4	15.5	5	4.8	115/60/1	1/4+	R290	60 ^{1/4} ×30×38 ^{7/8}	227	324

PLAN VIEW



AWR27D2






AWR36D2



AWR48D4



AWR60D4



Interior Dimensions

For detailed pan configuration,
please refer to the next page.

Casters




Rear grate



Temperature control



NEMA 5-15P



NEMA
15A/125V



"WE MAKE THE KITCHEN BETTER!"

ATOSA USA, INC.

Toll Free: 855-855-0399 Email: info@atosausa.com

www.atosa.com | www.atosausa.com

California, Colorado, Florida, Georgia, Illinois,
New Jersey, Ohio, Texas, Washington

PAN CONFIGURATION

Standard Configuration

	AWF27	AWF36	AWF48	AWF60
Top Drawer				
Bottom Drawer				

Optional Configuration

	AWF27	AWF36	AWF48	AWF60
Top Drawer				
Bottom Drawer				
Top Drawer				
Bottom Drawer				