ATOSA USA, INC.
Toll Free: 855-855-0399 Email: info@atosausa.com
www.atosa.com | www.atosausa.com
California, Colorado, Florida, Georgia, Illinois,
New Jersey, Ohio, Texas, Washington

"WE MAKE THE KITCHEN BETTER!"

Undercounter Freezers with Drawers

MODELS:

AUF27D2 / AUF36D2 / AUF48D4 / AUF60D4

Standard Features

- Stainless steel exterior & interior with reinforced stainless steel top
- Environmentally friendly R290 refrigerant
- Electronic temperature controller
- Maintains temperatures between -8°F – 1°F
- Recessed door handle(s)
- Magnetic drawer gasket(s)
- Each unit comes standard with 1/6 size pans
- Standard pre-installed 2" heavy duty swivel plate casters:

  B0604434 (with brake) & B0604433 (no brake)

AUF27D2

AUF36D2

AUF48D4

AUF60D4

Optional Accessories

- Extended warranty up to 5 years
- 1.2" & 1.5" Low profile swivel plate casters available
- 4" & 5" Swivel stem casters available

Caster Part Number (with brake)	Caster Part Number (no brake)	Description	Unit Overall Height (in)
R06001000228	R06001000229	1.2" swivel plate casters	$31^{1/4}$
R06001000063	N/A	1.5" swivel plate caster	$31^{7/8}$
B0604434	B0604433	2" heavy duty swivel plate casters	$32^{3/8}$
B0604421	B0604413	4" swivel stem casters	$34^{3/8}$
B0604007	B0604006	5" swivel stem casters	$35^{1/4}$

For the best results of food preservation we recommend setting your freezer between -8°F to 0°F

1. Don't forget to leave the unit some room to breathe!
2. Please clean the condenser frequently to give the unit more fresh air.

3 YEAR PARTS AND LABOR WARRANTY
5 YEAR COMPRESSOR PART WARRANTY

REV. 08/26

ATOSA USA, INC.
Toll Free: 855-855-0399 Email: info@atosausa.com
www.atosa.com | www.atosausa.com
California, Colorado, Florida, Georgia, Illinois,
New Jersey, Ohio, Texas, Washington

"WE MAKE THE KITCHEN BETTER!"

SPECIFICATIONS

Models	Drawers	Capacity (Cu.Ft.)	Casters (inch)	Amps (A)	Voltage (V/Hz/Ph)	HP	Refrigerant	Exterior Dimensions (inch)	Net Weight (lb)	Gross Weight (lb)
AUF27D2	2	6.5	2	3.9	115/60/1	1/5+	R290	$27^{1/2}\times30\times32^{3/8}$	178	233
AUF36D2	2	9	2	4.8	115/60/1	1/3	R290	$36^{3/8}\times30\times32^{3/8}$	207	271
AUF48D4	4	12.2	2	4.8	115/60/1	1/3	R290	$48^{1/4}\times30\times32^{3/8}$	271	348
AUF60D4	4	15.5	2	4.8	115/60/1	1/3	R290	$60^{1/4}\times30\times32^{3/8}$	319	394

PLAN VIEW

AUF27D2



AUF36D2



AUF48D4



AUF60D4







Interior Dimensions

For detailed pan configuration, please refer to the next page.

Casters

Rear grate



Temperature control



Atosa is continuously improving products. Specifications are subject to change without notice.

ATOSA USA, INC.
Toll Free: 855-855-0399 Email: info@atosausa.com
www.atosa.com | www.atosausa.com
California, Colorado, Florida, Georgia, Illinois,
New Jersey, Ohio, Texas, Washington

PAN CONFIGURATION

Standard Configuration



Optional Configuration